TEXT SEARCHABLE DOCUMENT28931

00162069

DATA EVALUATION RECORD

1. Chemical: CN-11-4962

diglycolamine salt of dicamba

(2-methoxy-3.6-dichlorobenzoic acid)

2. Test Material: Formulated Product

40.15% dicamba

3. Study Type: Freshwater Invertebrate Acute Toxicity

Species Tested: Daphnia magna

4. Study ID: Forbis, A.D. and S. Frazier (1986) Static

Acute Toxicity Report No. 34107. Acute Toxicity of CN-11-4962 to Daphnia magna.

Prepared by ABC Labs, Columbia, MO. Submitted by Sandoz Crop Protection Corporation, Chicago,

IL. EPA Accession No. 263863.

5. Reviewed By: Thomas M. Armitage

Fisheries Biologist

EEB/HED

Signature: Thomas M.

Signature:

Date: 9-17-86

6. Approved By: Raymond W. Matheny

Supervisory Biologist

EEB/HED

na+

Date:

7. Conclusion:

The study was conducted according to accepted protocol. With 48-hour EC50 > 400 ppm, the diglycolamine salt of dicamba may be practically nontoxic to Daphnia magna. However, this study does not fulfill the Guidelines requirement for an acute toxicity determination using a freshwater invertebrate. This is because the pH of the water in the test chambers was measured to be 8.5 at the end of the study. Without information describing the hydrolysis of the test material at this pH, it is not possible to determine actual levels of exposure.

8. Recommendation:

This study may be upgraded to fulfill Guidelines requirement if hydrolysis data indicate that the test material did not breakdown during the study. Hydrolysis data must therefore be submitted. Alternatively, the study could be repeated at a lower pH or using measured concentrations.

M



9. Background:

The study, an acute toxicity determination for a freshwater invertebrate species using the diglycerol-amine salt of dicamba, was submitted to fulfill testing requirements for full registration of the herbicide.

10. Discussion of Individual Test: N/A.

11. Materials and Methods: (Definitive Test)

a. <u>Test Animals</u>: were first instar <u>Daphnia magna</u> (less than 24 hours old) cultured at the ABC facilities.

Test system: The static <u>Daphnia</u> bioassay was conducted in 250 mL glass beakers containing 200 mL of ABC aged well water. Static exposure was undertaken at 20 °C. Lighting was maintained at 50 to 70 foot candles on a 16-hour daylight photoperiod, with 30 minute simulated dawn and dusk periods.

- b. <u>Dose</u>: Static bioassay using nominal concentrations.
- c. Design: 20 daphnids per level 5 dose (0, 100, 180, 320, 560, and 1000 mg/L).
- d. Statistics: The 24-hour and 48-hour LC50 values and corresponding 95-percent confidence limits were determined by an LC50 computer program developed by Stephan (1978). This program calculated the LC50 statistic and its 95-percent confidence limits using the binomial, moving average angle, and probit methods because no one method is appropriate for all possible sets of data.

12. Reported Results:

The study authors found that the 48-hour EC $_{50}$ was > 1000~mg/L. All results were based on nominal concentrations of 0, 100, 180, 320, 560, and 1000~mg/L. The no-effect concentration based on the lack of mortality and abnormal effects was 1000~mg/L after 48~hours.

13. Study Authors' Conclusions/QA Measures:

 $48-\text{hour EC}_{50} > 1000 \text{ mg/L}.$

"The study was conducted following the intent of the Good Laboratory Practice Regulations, and the final report was reviewed by Analytical Bio-Chemistry Laboratories' Quality Assurance Unit. All organized raw data was provided to Velsicol Chemical Corporation, with a copy retained at Analytical Bio-Chemistry Laboratories."

14. Reviewer's Discussion and Interpretation of the Study:

a. Test Procedures: The procedures followed were in accordance with protocols recommended by the Guidelines. However, formulated product containing only

40.15% dicamba was used as test material. Therefore, the LC50's are adjusted to determine the LC50 on the basis of 100% dicamba. The only ingredients in the formulation used are the dicamba salt and water. The test water pH of 8.5 would indicate that some hydrolysis of the test material may have occurred. Therefore, the study is classified as "Supplemental" pending the receipt of hydrolysis data.

- b. Statistical Analysis: No statistical analysis was required to determine the LC50 because no mortality was observed during the course of the study.
- c. Discussion/Results: With 48-hour EC50 > 400 ppm, the diglycoamine salt of dicamba may be practically nontoxic to Daphnia magna on an acute basis. The study, however, does not fulfill Guidelines requirements because of the high test water pH.

d. Adequacy of Study:

- 1. Classification: Supplemental.
- 2. Rationale: The study was conducted in accordance with accepted protocol. The LC50 was adjusted because the formulation tested contained only 40.1% dicamba. However, the test water pH of 8.5 indicates that some hydrolysis of the test material may have occurred. The study will be upgraded to fulfill the Guidelines requirement if hydrolysis data indicate that breakdown has not occurred.
- Reparability: Study may be upgraded to Core upon receipt of hydrolysis data.
- 15. Completion of One-Liner for Study:

One-liner form completed August 18, 1986.

16. CBI Appendix: N/A.

TABLE 3

Mortality Rates and Water Quality Measurements During the Acute Toxicity of CN-11-4962 to Daphnia magna

Nominal				Water Quality					
	Percent Mortality Hours		0 hours			48 hours			
Concentration (mg/l)	24 hr.	48 hr.	Temp.	D.O. ^a mg/l	pH^{b}	Temp.	D.O. ^a mg/l	$\mathbf{p}\mathbf{H}^{\mathbf{b}}$	
Control	0	O	19	8.1	8.3	20	8.2	8.5	
100	0	0				20	8.2	8.6	
180	0	0							
320	0	0	. · · · · · · · · · · · · · · · · · · ·			20	8.2	8.6	
560	0	0							
1000	0	0				20	8.1	8.5	
	•								

^aDissolved oxygen concentrations - Dissolved Oxygen System (YSI Model 54).

NOTE: Dissolved oxygen saturations at the test temperature of 19 and 20°C are 9.3 and 9.2 mg/l, respectively.

CONFIDENTIAL

This is proprietary information of Sandoz Crop Protection Corporation. The use of this information by others, without the permission of Sandoz or without just compensation paid to Sandoz, to obtain government approval for the sale of competitive products is a violation of this proprietary right. This information should not be disclosed to anyone without the permission of Sandoz Crop Protection Corporation.

bpH - pH Probe (Corning Model 476182) used with a Corning Model 125 pH and mV meter.